SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Date of Issue: 1st May 2022
Supersedes: N/A

1. Identification of Material and Supplier

Product Identifier: 40. HAIR PRODUCTS – FLAMMABLE- ETHANOL /ISODODECANE /CYCLOPENTASILOXANE - UN1266

Other Means of Identification:
Perfumery products Class III Packaging Group II (with Ethanol >55% or with Isopropyl Alcohol) and
Perfumery products Class III Packaging Group III (Ethanol 24 to ≤55% and no Isopropyl Alcohol).

Recommended Use/Product Type:
Cosmetic hair styling products typically is spray packs with Ethanol and or isopropyl alcohol as solvents and silicones, waxes or cationic polymers as minor components.

AUSTRALIA

Suppliers Details: L'Oréal Australia Pty Ltd.
Address: 564 St Kilda Road.
Melbourne VIC 3004 Australia.
Telephone Number: (03) 8680 0000 (8am–6pm Mon to Fri).
Fax Number: 61 3 8680 0009.
Emergency Telephone Number (Must be a 24 Hour Number):
(03) 8680 0800 (8am–6pm Mon to Fri).
(03) 8680 0866 (9am–5pm Mon to Fri).
0411 077 273 (After Hours).
Australian Poisons Information Centre:
13 1126.
Email Address of the Person Responsible for this SDS:
sandor.berta@loreal.com.

NEW ZEALAND

Suppliers Details: L'Oréal New Zealand.
Address: Building 8, 9 Manu Street,
Othahuhu, Auckland 2024 New Zealand.
Telephone Number: +64 21 962 098 or +64 9583 4160 (8am–6pm Mon to Fri)
Fax Number: +64 9583 4188.
Emergency Telephone Number (Must be a 24 Hour Number):
+64 21 962 098 or +64 21245 1758 (8am–6pm Mon to Fri)
+64 21 962 098 (After Hours).
New Zealand Poisons Information Centre:
0800 764766.
Email Address of the Person Responsible for this SDS:
Miu.TUALA@loreal.com Or Pieter.duplooy@loreal.com

2. Hazard Identification

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Hazard Classification: This product is classified as Hazardous according to the criteria of Safe Work Australia. Also classified as Dangerous Goods Class 3 Flammable Liquid according to the criteria of ADG Code 7.7 Edition.

NEW ZEALAND

Hazard Classification: This material is classified as a dangerous good according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.
This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

NZ HSNO Classification: Category 3.1B Flammable (Ethanol >55% and Isopropyl Alcohol) or
Category 3.1C Flammable (Ethanol 24% to ≤55%)
Category 6.3A Skin Irritation
Category 6.4A Serious Eye Damage/Eye Irritation
Category 9.1D Ecotoxic to aquatic environment

BOTH COUNTRIES

GHS Classification of the substance or mixture:
Flammable Liquids - Category 3 or
Flammable Liquids – Category 2.
Serious Eye Damage/Eye Irritation- Category 2A.
Skin Irritation- Category 2
Acute Aquatic Toxicity- Category 3.
Chronic Aquatic Toxicity- Category 3.

Allocation of Label Elements:
Pictograms:



GHS Signal word: **DANGER** (Ethanol >55% or Isopropyl Alcohol) or
WARNING (Ethanol 24 to ≤55%).

GHS Hazard statements: H225: Highly Flammable Liquid (Ethanol >55%) or
H226: Flammable liquid and vapour (Ethanol 24% to ≤55%).
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H402: Harmful to aquatic life.
H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):
General P101: If medical advice is needed, have product container

C1 - Internal use

	or label on hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P104: Read Safety Data Sheet before use.
Prevention	P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking.
	P233: Keep container tightly closed.
	P240: Ground/bond container and receiving equipment.
	P241: Use explosion-proof electrical/ ventilating/ lighting/equipment.
	P242: Use only non-sparking tools.
	P243: Take precautionary measures against static discharge.
	P264: Wash hands and face thoroughly after use.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response	P302 + P352: IF ON SKIN wash with plenty of water.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332 + P313: If skin irritation occurs: Get medical advice.
	P337 + P313: If eye irritation persists: Get medical advice.
	362 + P364: Take off contaminated clothing and wash it before reuse.
	P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage	P403 + P235: Store in a well-ventilated place. Keep cool.
Disposal	P501: Dispose of contents/ container to an approved waste disposal plant in accordance with Local/ regional/ national/ international regulations
Other Hazards	Not Specified.

3. Composition/Information on Ingredients

Component/Substance	CAS Number	% by Weight	Hazardous Substance Classification
Ethanol	64-17-5	>55% ≤ 55%	H225, H319 H226, H319
Isododecane	13475-82-6 93685-81-5	>60 0-10	H227, H304
Cyclopentasiloxane	541-02-6	>60.	H227
Other ingredients determined not to be hazardous		To 100	Not classified

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

4. First Aid Measures

General Advice:	If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131126 from anywhere in Australia.
Eye:	Rinse abundantly under flowing water for at least 15 minutes. If irritation develops seek medical attention. Splashes in the eye may cause immediate stinging and tears. Transient redness of the eye may also occur.
Skin:	In case of skin contact, if irritation develops immediately wash off with plenty of water for at least 15 minutes. If irritation persists seek medical attention immediately.
Inhalation:	If symptoms are experienced, remove source of contamination and move victim to fresh air immediately. If symptoms persist, seek medical attention. At relatively high vapour concentrations Ethanol is an irritant to the nose and throat and may cause central nervous system depression.
Ingestion:	Rinse mouth with water. If swallowed do not induce vomiting. Give one or two glasses of water or milk to drink. Seek medical attention immediately. May cause irritation of the gastrointestinal tract. Depression of the central nervous system may result in headache or dizziness.
Advice to Doctor:	Treat symptomatically. If in eyes recheck after one week.

5. Fire Fighting Measures

Suitable Extinguishing Media:

Highly Flammable. In case of fire, all extinguishing media are. suitable. For safety reasons do not use strong water jets.

Hazards from Combustion Products:

May produce toxic fumes of carbon oxides.

Precautions for Fire Fighters and Special Protective Equipment:

If in the event of fire wear self-contained breathing apparatus. Use personal protective equipment. Keep containers cool with water spray. Closed containers may rupture when exposed to temperatures greater than 50°C. Vapour is heavier than air, distant ignition sources possible.

Hazchem Code:

- 3YE (Packaging Group II or Ethanol >55% and or Isopropyl Alcohol) or
- 3Y (Packaging Group III or Ethanol 24% to ≤55%).

6. Accidental Release Measures

Emergency Procedures: UN 1266. Wear appropriate protective equipment. Spills will be slippery and highly flammable.

Methods and Materials for Containment and Clean Up Procedures:

C1 - Internal use

Remove possible leaking containers. Remove all sources and ventilate area. Dilute small spills with water. For larger spills, wear protective equipment, dilute with water and absorb in inert material (sand or vermiculate). Shovel material into a suitable container and seal it. Wash the spill area with mild detergent to remove residue. Dispose of material in compliance with federal state and local regulations. Do not allow the material to enter drains or waterways.

7. Handling and Storage

Precautions for Safe Handling:

This product is a Class 3 Flammable Liquid and should be transported and stored according to Dangerous Goods Regulations, Codes and Standards. Gloves (vinyl, rubber, plastic) may be worn when handling this material. Keep away from heat, flames or ignition source. Do not eat, drink or smoke in handling areas. Remove contaminated clothing and wash hands before eating.

Conditions for Safe Storage:

Store product upright in a cool place and out of direct sunlight. Store away from alkalis, corrosive and oxidising products. Use good personal hygiene practices. Store in accordance with Dangerous Goods Regulations and transport in accordance with ADG Code for Dangerous Goods Class 3.

8. Exposure Controls/Personal Protection

National Exposure Standards[1,2,3]*:*

Chemical Name	*CAS No.*	*TWA (ppm)*	*TWA (mg/m^3)*	*STEL (ppm)*	*STEL (mg/m^3)*
Ethanol [1,2,3]	64-17-5	1000	1880[1,2] 1900[3]	1000	-

TWA = Time-weighted average exposure standard.
STEL = Short term exposure limit standard.

1. (2019). See: https://www.safeworkaustralia.gov.au/doc/workplace-exposure-standards-airborne-contaminants-2019
2. Worksafe New Zealand. Workplace Exposure Standards and Biological Exposure Indices. (2022). See: https://www.worksafe.govt.nz/topic-and-industry/monitoring/exposure-standards-and-biological-exposure-indices/
3. US. NIOSH: Pocket Guide to Chemical Hazards Components See: https://www.cdc.gov/niosh/npg/default.html

Biological Limit Values: No Biological limit allocated.

Engineering Controls: Use in a well-ventilated area. Maintain air concentrations below exposure standards.

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Flammable symbol or warning.



Personal Protective Equipment:

If ventilation is insufficient, a suitable respirator should be worn. When handling bulk quantities gloves (vinyl, plastic or rubber) shoud be worn when handling this product. It is recommended that protective clothing is worn e.g. aprons (vinyl, plastic or rubber) and safety shoes. Eye protection in the form of tightly fitting safety goggles and/or face shield should be worn.



9. Physical and Chemical Properties

Appearance:	Coloured liquid.
Odour:	Characteristic fragrant alcohol odour.
pH:	Not determined.
Boiling Point (ºC):	78 °C (Ethanol).
Vapour Pressure:	7.87 kPa @ 25°C.
Specific Gravity:	Not determined.
Flashpoint (ºC):	12°C (Ethanol).
Flammability Limits:	Highly flammable.
Solubility in Water:	Miscible.

10. Stability and Reactivity

Chemical Stability:	Stable under normal conditions of handling, use and transportation.
Conditions to Avoid:	Avoid heat and sources of ignition.
Incompatible Materials:	Keep away from alkalis and corrosive substances.
Hazardous Decomposition Products:	Decomposition not known to occur.
Hazardous Reactions:	None known.

11. Toxicological Information

Inhalation:	No adverse effects due to inhalation are expected.
Skin contact:	No adverse effects due to skin contact are expected.
Eye contact:	No adverse effects due to eye contact are expected.
Ingestion:	Droplets of the product aspirated into the lungs through

C1 - Internal use

ingestion or vomiting may cause a serious chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics: Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Components	Species	Test Results
Acute Toxicity		
PRODUCT	May be fatal if swallowed and enters airways.	
Acute Dermal:	ATEmix	200400 mg/kg
Acute Oral:	ATEmix	1e+007 mg/kg
ETHANOL (CAS 64-17-5)		
Acute Dermal:	Rabbit	LD50 > 20000 mg/kg
Inhalation-Vapor:	OECD 403 Rat	LC50 124.7 mg/l, 4h
Oral:	OECD 401 Rat	LD50 10470 mg/kg
CYCLOPENTASILOXANE (CAS 541-02-6)		
Acute Dermal:	OECD 402 Rabbit	LD50 >2000mg/kg bw
Inhalation-Aerosol:	OECD 403 Rat	LC50 8.67mg/L air, 4h
Oral:	OECD 401 Rat	LD50 >5000mg/kg bw
ISODODECANE (CAS 13475-82-6)		
Acute Dermal:	OECD 402 Rabbit	LD50 > 5000 mg/kg
Inhalation-Vapor:	OECD 403 Rat	LC50 >5000mg/m3, 8 h
Oral:	OECD 401 Rat	LD50 > 5000 mg/kg
ISODODECANE (CAS 93685-81-5)		
Acute Dermal:	OECD 402 Rabbit	LD50 > 5000 mg/kg
Inhalation-Vapor:	Rat	LC50 > 21,3 mg/l, 1 h
Oral:	OECD 401 Rat	LD50 > 5000 mg/kg

Skin corrosion/irritation:

PRODUCT Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.

ETHANOL (CAS 64-17-5)			
Irritation corrosion- skin:	OECD 404	Rabbit	Not Irritating
CYCLOPENTASILOXANE (CAS 541-02-6)			
Irritation corrosion- skin:	OECD 404	Rabbit	Not Irritating
ISODODECANE (CAS 13475-82-6)			
Irritation corrosion- skin:		Human	Not Irritating
ISODODECANE (CAS 93685-81-5)			
Irritation corrosion- skin:	OECD 404	Rabbit	Not Irritating

Serious eye damage/eye irritation:

PRODUCT Due to partial or complete lack of data the classification is not possible. No adverse effects due to eye contact are expected.

ETHANOL (CAS 64-17-5)

C1 - Internal use

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Irritation Corrosion – Eye: OECD 405 Rabbit Irritating
CYCLOPENTASILOXANE (CAS 541-02-6)
Irritation Corrosion – Eye: OECD 405 Rabbit Not Irritating
ISODODECANE (CAS 13475-82-6)
Irritation Corrosion – Eye: OECD 405 Rabbit Not Irritating
ISODODECANE (CAS 93685-81-5)
Irritation Corrosion – Eye: OECD 405 Rabbit Not Irritating

Respiratory or skin sensitization:
PRODUCT
Respiratory sensitization: Due to partial or complete lack of data the classification is not possible
Skin sensitization:
PRODUCT Due to partial or complete lack of data the classification is not possible.
ETHANOL (CAS 64-17-5)
Skin sensitization: OECD 406 Guinea pig Not Sensitizing
CYCLOPENTASILOXANE (CAS 541-02-6)
Skin sensitization: Buehler Test Guinea pig Not Sensitizing
ISODODECANE (CAS 13475-82-6)
Skin sensitization: OECD 406 Guinea pig Not Sensitizing
ISODODECANE (CAS 93685-81-5)
Skin sensitization: OECD 406 Guinea pig Not Sensitizing

Mutagenicity
PRODUCT
Germ cell mutagenicity: Due to partial or complete lack of data the classification is not possible.
ETHANOL (CAS 64-17-5)
Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.
CYCLOPENTASILOXANE (CAS 541-02-6)
Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.
ISODODECANE (CAS 13475-82-6)
Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.
ISODODECANE (CAS 93685-81-5)
Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.

Carcinogenicity
PRODUCT
Carcinogenicity: Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs: Overall Evaluation of Carcinogenicity
Not listed.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052):
Not regulated.
US. National Toxicology Program (NTP) Report on Carcinogens:

C1 - Internal use

Not listed.

Reproductive toxicity

PRODUCT Due to partial or complete lack of data the classification is not possible.

ETHANOL (CAS 64-17-5)

Developmental effects:	OECD 414 Rat	NOAEL > 20000 ppm No effects on development

ISODODECANE (CAS 13475-82-6)

Developmental effects:	OECD 414 Rat	NOAEL >= 2000 mg/kg bw/d

ISODODECANE (CAS 93685-81-5)

Developmental effects:	OECD 414 Rat	NOAEL >= 5220 mg/m3 air

ETHANOL (CAS 64-17-5)

Reproductivity:	OECD 416 Rat	NOAEL 20700 mg/kg bw/d No effects on fertility

CYCLOPENTASILOXANE (CAS 541-02-6)

Reproductivity:	EPA OPPTS 870.3800 (Vapor) Rat	NOAEL > 160 ppm

ISODODECANE (CAS 13475-82-6)

Reproductivity:	OECD 415 Rat	NOAEL >= 3000 mg/kg bw/d

ISODODECANE (CAS 93685-81-5)

Reproductivity:	OECD 414 Rat	NOAEL >= 1000 mg/kg bw/d

Specific target organ toxicity - single exposure

PRODUCT Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

PRODUCT Due to partial or complete lack of data the classification is not possible.

ETHANOL (CAS 64-17-5)

Repeated Dose 90 Day Oral Toxicity:

	OECD 408 Rat	NOAEL 1730 mg/kg bw/d

CYCLOPENTASILOXANE (CAS 541-02-6)

Repeated Dose 28 Day Oral Toxicity:

Oral:	OECD 407 Rat	NOAEL > 1600 mg/kg bw/d
Inhalation:	OECD 412 Rat	NOAEC 160 ppm
Dermal:	OECD 410 Rat	NOAEL 1600 mg/kg bw/d

ISODODECANE (CAS 13475-82-6)

Repeated Dose 90 Day Oral Toxicity:

Oral:	OECD 408 Rat	NOAEL >= 5000 mg/kg bw/d

ISODODECANE (CAS 93685-81-5)

Repeated Dose 90 Day Oral Toxicity:

C1 - Internal use

Inhalation:	OECD 413 Rat	NOAEL >= 200 ppm
Oral:	OECD 408 Rat	NOAEL >= 5000 mg/kg bw/d

Aspiration hazard:
PRODUCT May be fatal if swallowed and enters airways.

Further information: The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological Information

Ecotoxicity:
PRODUCT The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
ETHANOL (CAS 64-17-5)			
Aquatic Toxicity:			
Acute			
Algae:		Pseudokirchneriella subcapitata	EC50 22200 mg/l, 96 h
Crustacea:		Ceriodaphnia dubia	EC50 5012 mg/l, 48 h
Fish:		Pimephales promelas	LC50 15300 mg/l, 96 h
Other:		Activated sludge of a predominantly domestic sewage	IC50 > 1000 mg/l, 3 h
Chronic			
Crustacea:		Daphnia magna	NOEC 9.6 mg/l, 9 d
Fish:		OECD 212 Danio rerio	NOEC 250mg/l, 120h
CYCLOPENTASILOXANE (CAS 541-02-6)			
Acute			
Algae:		OECD 201 Pseudokirchneriella subcapitata	EC50 > 12 µg/l, 96 h
Crustacea:		OECD 202 Daphnia magna	EC50 > 2.9 µg/l, 48h
Fish:		OECD 204 Oncorhynchus mykiss	LC50 > 16 µg/l, 96 h
Chronic			
Crustacea:	NOEC	Daphnia magna	> 15 µg/l, 21 d OECD 211
Fish:	NOEC	Oncorhynchus mykiss	> 14 µg/l, 90 d OECD 210
Other:	EC50	Activated sludge of a predominantly domestic sewage	> 2000 mg/l, 3 h EU C.11

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

ISODODECANE (CAS 13475-82-6)

Acute

Algae:	OECD 201 Pseudokirchneriella subcapitata	EL50 >1000mg/l, 72h
Crustacea:	OECD 202 Daphnia magna	EL50 >1000mg/l, 48h
Fish:	OECD 203 Oncorhynchus mykiss	LL50 >1000mg/l, 96h
Other:	OECD 209 Activated sludge of a Predominantly domestic sewage	EC50 >100 mg/l, 3 h

Chronic

Crustacea:	OECD 211 Daphnia magna	NOAEL 1 mg/l, 21 d

ISODODECANE (CAS 93685-81-5)

Acute

Algae:	OECD 201 Pseudokirchneriella subcapitata	EL50 >1000mg/l, 72h
Crustacea:	OECD 202 Daphnia magna	EL50 >1000mg/l, 48h
Fish:	OECD 203 Oncorhynchus mykiss	LL50 >1000mg/l, 96h
Other:	Pseudomonas putida	EC0 >100 mg/l, 24 h

Persistence and degradability:

Biodegradability:

Percent degradation (Aerobic biodegradation)

ETHANOL (64-17-5)		84 % Readily Biodegradable Test Duration: 20 d
CYCLOPENTASILOXANE (CAS 541-02-6)	OECD 310	0.14 % Not Readily Biodegradable
ISODODECANE (CAS 13475-82-6)		20.6 % Not Readily Biodegradable Test Duration: 28 d
ISODODECANE (CAS 93685-81-5)	OECD 301 F	31,3 % Not Readily Biodegradable

Bioaccumulative potential:

Partition coefficient n-octanol / water (log Kow)

ETHANOL (64-17-5)	-0.31
CYCLOPENTASILOXANE (CAS 541-02-6)	5.2
ISODODECANE (CAS 93685-81-5)	6.4
ISODODECANE (CAS 13475-82-6)	6.4 6.96 QSAR

Mobility in soil: No data available.

Other adverse effects: No other adverse environmental effects (e.g. ozone

C1 - Internal use

depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal Methods: Recover if possible and dispose of in accordance with local, State and Federal government regulations.

Special Requirements for Landfill or Incineration:
Empty containers should be disposed of to landfill in domestic garbage collection. The local waste authority should be consulted prior to disposal of bulk quantities.

14. Transport Information

AUSTRALIA- ADG

UN Number: 1266.
UN Proper Shipping Name: PERFUMERY PRODUCTS.
Class & Subsidiary Risk: Class 3 (Australia). 3.1B (New Zealand).
Packaging Group: II.
Special Precautions: P001, IBC03, T4 and TP8.
Hazchem Code: •3YE.

or

UN Number: 1266.
UN Proper Shipping Name: PERFUMERY PRODUCTS.
Class & Subsidiary Risk: Class 3 (Australia. 3.1C (New Zealand).
Packaging Group: III
Special Precautions: SP144, SP223, P001, IBC03, LP01, T2 and TP1.
Hazchem Code: •3Y.

NEW ZEALAND

Relevant Information. Hazard Class 3
Identification number of the hazard 33



IMDG

UN/ID No.: UN1266.
Proper shipping name: PERFUMERY PRODUCTS.
Hazard class: 3.
Packing group: II.
Special Precautions: E2, P001 and IBC02.

Or

UN/ID No.: UN1266.
Proper shipping name: PERFUMERY PRODUCTS.
Hazard class: 3.

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Packing group: III
Special Precautions: SP144, SP223, SP904, SP955, E1, P001, LP01 and IBC03.

ICAO/IATA

UN/ID No.: ID8000.
Proper shipping name: CONSUMER COMMODITY.
Hazard class: 9.
Packing group: Dangerous Goods Packing Instruction Y963.

15. Regulatory Information

AUSTRALIA

SUSMP: Not Scheduled.

Competition and Consumer Act:
Cosmetic ingredients must be labelled.

Industrial Chemicals Act: Ingredients are in the Australian Inventory of Industrial Chemicals (AIIC) and/or in compliance with the *Industrial Chemicals Act 2019* and the *Industrial Chemicals (General) Rules 2019.*

NEW ZEALAND

Dangerous Goods Regulations:
Symbols are required for bulk storage and containers only and not on small packaged goods for consumers.



Risk phases are required for bulk storage and containers only.

Risk-phrase(s)
F: Flammable.
N: Dangerous to the Environment.
Xi: Irritant.
R11: Highly Flammable.
R36: Irritating to eyes.
R38: Irritating to skin.
R52: Toxic to aquatic organisms.
R53: May cause long term adverse effects in the aquatic environment.
Or combination risk phases as appropriate.

S-phrase(s)
S2: Keep out of the reach of children.
S7: Keep container tightly closed.
S16: Keep away from sources of ignition – no smoking.
S46: If swallowed, seek medical advice immediately and show container or label.

Health & Safety at Work (Hazardous Substances) Regulations 2017:

HSNO Regulations: The HSNO Approval Number for this Group Standard is HSR002552 (Cosmetic Products Group Standard). Substances must comply with the Standard.

C1 - Internal use

SAFETY DATA SHEET

40. HAIR PRODUCTS – FLAMMABLE- ETHANOL / ISODODECANE /CYCLOPENTASILOXANE - UN1266

Identification and labelling Regulations:
Hazardous Substances (Hazard Classification) Notice 2020.
Consolidated Hazardous Substances (Labelling) Notice 2017.

Storage and handling: Consolidated Hazardous Substances (Hazardous Property Controls) Notice 2017.

Packaging Regulations: Consolidated Hazardous Substances (Packaging) Notice 2017.
Disposal Regulations: Consolidated Hazardous Substances (Disposal) Notice 2017.

Other Regulations or Notices:
Hazardous Substances (Forms and Information) Notice 2017
Consolidated Hazardous Substances (Safety Data Sheets) Notice 2017.
Consolidated Hazardous Substances (Importers and Manufacturers) Notice 2015.
Hazardous Substances (Amendments and Revocations) Notice 2020.
Hazardous Substances (Enforcement Officer Qualifications) Notice 2015.

Tracking: Not required under Consolidated Hazardous Substances (Hazardous Property Controls) Notice 2017.

Certified Handlers: Required under Health and Safety at Work (Hazardous Substances) Regulations 2017.

16. Other Information

Date of Issue: 1st May 2022
Supersedes: N/A
Version Number: 1
Disclaimer: The information contained in this SDS was compiled using the latest and most reliable information available. The information is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Similarly, no warranty, expressed or implied, shall be created by or inferred from any statement or omission from this SDS nor will L'Oréal assume any liability for any loss or damage arising out of the use of this information. It is solely the responsibility of the user to determine safe conditions for use of this product.

END OF SDS

C1 - Internal use