Safety Data Sheet

BlondMe 9+ Premium Lightener

SDS No. : 853910
V001.0
Date of issue: 29.04.2026

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: BlondMe 9+ Premium Lightener

Intended use: Change of Hair

Company name:
Henkel Australia Pty. Ltd.
135-141 Canterbury Road
AUS-3137 Kilsyth, Victoria
Phone: 03 9724 6444

Emergency telephone number Poison Center (24/7): 131126

Section 2. Hazards identification

Classification of the substance or mixture
Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class	Hazard Category	Route of Exposure	Target organ
Oxidizing solids	Category 3		
Acute toxicity	Category 4	Oral	
Skin corrosion	Category 1		
Serious eye damage/eye irritation	Category 1		
Respiratory sensitizer	Category 1		
Skin sensitizer	Category 1		
Target Organ Systemic Toxicant - Single exposure	Category 3		respiratory tract irritation

Hazard pictogram:



Signal word: Danger

Hazard statement(s):
H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Precautionary Statement(s):

Prevention:
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep away from clothing and other combustible materials.
P260 Do not breathe dust or fumes.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.

Response:
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/… if you feel unwell.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340+P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician.
P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Get immediate medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
P362+P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Section 3. Composition / information on ingredients

Type of preparation: Mixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Silicic acid, sodium salt, spray powder	1344-09-8	30- < 60 %
dipotassium peroxodisulphate	7727-21-1	30- < 60 %
diammonium peroxodisulphate	7727-54-0	1- < 10 %
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr)	8042-47-5	1- < 10 %
tetrasodium ethylene diamine tetraacetate	64-02-8	< 10 %

Section 4. First aid measures

Ingestion:
Rinse mouth with water, (only if the person is conscious).
Do not induce vomiting, seek medical advice immediately.

Skin:
Rinse under running water. Remove all contaminated clothing. Consult skin specialist if necessary.

Eyes:	Rinse immediately under running water (for 10 minutes), thereafter seek immediate specialist medical advise.
Inhalation:	Move to fresh air. In case of breathing difficulties seek immediate medical advise.
First Aid facilities:	Normal washroom facilities Eye wash and safety shower
Medical attention and special treatment:	Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires.

Improper extinguishing media:

None

Decomposition products in case of fire:	carbon oxides. nitrogen oxides Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

Special protective equipment for fire-fighters:

Use personal protective equipment and self-contained breathing apparatus.

Additional fire fighting advice:

The product intensifies fire

Hazchem code:	1Z

Section 6. Accidental release measures

Personal precautions:	If large amounts are released contact the fire service. Avoid contact with skin and eyes. Danger of slipping on spilled product. Ensure adequate ventilation.
Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	Remove mechanically. Dilute small quantities with large amount of water and rinse.

Section 7. Handling and storage

Precautions for safe handling:	No special measures required if used properly.
Conditions for safe storage:	Store in sealed original container protected against moisture. Ensure that storage and workrooms are adequately ventilated. Keep away from heat and direct sunlight. Store in a cool, dry place. Store far from foodstuffs.

Section 8. Exposure controls / personal protection

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
POTASSIUM PERSULFATE 7727-21-1					0.01		
AMMONIUM PERSULFATE 7727-54-0					0.01		
Oil mist, refined mineral 8042-47-5			5				

Eye protection: Wear tight fitting goggles.

Skin protection: Protective clothing against chemicals. Observe manufacturer's instructions. Suitable protective gloves.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

General protection measures: The following Australian Standards will provide general advice regarding safety clothing and equipment:
Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

Section9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	powder fine light blue
Odor	characteristic, citric, fruity, musky, amber
Physical state	solid
Melting point	Determination technically not possible
Initial boiling point	Not applicable, Product is a solid.
Flammability	The product is not flammable.
Explosive limits	Not applicable, Product is a solid.
Flash point	Not applicable, Product is a solid.
Auto-ignition temperature	Not applicable, Product is a solid.
Decomposition temperature	112 °C (233.6 °F);
pH (20 °C (68 °F); Conc.: 1 % product; Solvent: Demineralised water)	10.50 - 11.50 pH value::47300
Viscosity (kinematic)	Not applicable, Product is a solid.
Solubility (qualitative)	Currently under determination
Partition coefficient: n-octanol/water	Not applicable Mixture
Vapour pressure	Not applicable, Product is a solid.

Bulk density	670.0 - 790.0 g/l Apparent weight (powder or granulate)::52800
Relative vapour density:	Not applicable, Product is a solid.
Particle characteristics	particle-size distribution 10% 0.03 mm
Particle characteristics	particle-size distribution 50% 0.07 mm
Particle characteristics	particle-size distribution 90% 0.2 mm

9.2. Other information

Other information not applicable for this product

Section 10. Stability and reactivity

Stability: Stable under normal conditions of temperature and pressure.

Conditions to avoid: None if used for intended purpose.

Hazardous decomposition products: No decomposition if used according to specifications.

Section 11. Toxicological information

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	LD50 LD50	3,400 mg/kg > 5,000 mg/kg	oral dermal		rat rat	OECD Guideline 401 (Acute Oral Toxicity) EPA OPPTS 870.1200 (Acute Dermal Toxicity)
dipotassium peroxodisulphate 7727-21-1	LD50 LC50 LD50	700 mg/kg > 5.1 mg/l > 2,000 mg/kg	oral inhalation dermal	4 h	rat rat rat	OECD Guideline 401 (Acute Oral Toxicity) OECD Guideline 403 (Acute Inhalation Toxicity) EPA OPP 81-2 (Acute Dermal Toxicity)
diammonium peroxodisulphate 7727-54-0	LD50 LC0 Acute toxicity estimate (ATE) LD50	700 mg/kg 2.95 mg/l 5.1 mg/l > 2,000 mg/kg	oral inhalation inhalation dermal	4 h	rat rat rat	OECD Guideline 401 (Acute Oral Toxicity) EPA OPP 81-3 (Acute inhalation toxicity) Expert judgement EPA OPP 81-2 (Acute Dermal Toxicity)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	LD50 LC50 LD50	> 5,000 mg/kg > 5 mg/l > 2,000 mg/kg	oral inhalation dermal	4 h	rat rat rabbit	OECD Guideline 401 (Acute Oral Toxicity) OECD Guideline 403 (Acute Inhalation Toxicity) OECD Guideline 402 (Acute Dermal Toxicity)
tetrasodium ethylene diamine tetraacetate 64-02-8	LD50 Acute toxicity estimate (ATE) LC50 LD50	1,658 mg/kg 1.5 mg/l > 1 mg/l > 5,000 mg/kg	oral inhalation inhalation dermal	6 h	rat rat rabbit	BASF Test Expert judgement OECD Guideline 412 (Repeated Dose Inhalation Toxicity: 28/14-Day) not specified

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
dipotassium peroxodisulphate 7727-21-1	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
diammonium peroxodisulphate 7727-54-0	Category 2 (irritant)	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
tetrasodium ethylene diamine tetraacetate 64-02-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	irritating		rabbit	In vitro
dipotassium peroxodisulphate 7727-21-1	irritating		rabbit	not specified
diammonium peroxodisulphate 7727-54-0	slightly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
tetrasodium ethylene diamine tetraacetate 64-02-8	Category 1 (irreversible effects on the eye)		rabbit	equivalent or similar to OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	not sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
dipotassium peroxodisulphate 7727-21-1	sensitising	Freund's complete adjuvant test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
diammonium peroxodisulphate 7727-54-0	sensitising	Freund's complete adjuvant test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
tetrasodium ethylene diamine tetraacetate 64-02-8	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	negative negative negative	in vitro mammalian chromosome aberration test mammalian cell gene mutation assay bacterial reverse mutation assay (e.g Ames test)	with and without with and without with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Silicic acid, sodium salt, spray powder 1344-09-8	negative	oral: feed		mouse	OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)
dipotassium peroxodisulphate 7727-21-1	negative negative	bacterial reverse mutation assay (e.g Ames test) DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro	with and without not specified		OECD Guideline 471 (Bacterial Reverse Mutation Assay) EPA OPP 84-2 (Mutagenicity Testing)
dipotassium peroxodisulphate 7727-21-1	negative	intraperitoneal		mouse	equivalent or similar to OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
diammonium peroxodisulphate 7727-54-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
diammonium peroxodisulphate 7727-54-0	negative	intraperitoneal		mouse	equivalent or similar to OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	negative negative	bacterial reverse mutation assay (e.g Ames test) mammalian cell gene mutation assay	with with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	negative	intraperitoneal		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
tetrasodium ethylene diamine tetraacetate 64-02-8	negative negative negative	bacterial reverse mutation assay (e.g Ames test) mammalian cell gene mutation assay in vitro mammalian chromosome aberration test	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) other guideline: other guideline:
tetrasodium ethylene diamine tetraacetate 64-02-8	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	NOAEL=2,400 mg/kg	oral: feed	4 wdaily	rat	OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
dipotassium peroxodisulphate 7727-21-1	NOAEL=91 mg/kg	oral: feed	90 ddaily	rat	equivalent or similar to OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
dipotassium peroxodisulphate 7727-21-1	NOAEL=10.3 mg/m3	inhalation: dust	13 w6 h/d, 5 d/w	rat	not specified
diammonium peroxodisulphate 7727-54-0	NOAEL=91 mg/kg	oral: feed	90 d	rat	equivalent or similar to OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
diammonium peroxodisulphate 7727-54-0	NOAEL=5 mg/m3	inhalation: dust	13 w6 h/d, 5 d/w	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	NOAEL=>= 1,600 mg/kg	oral: feed	90 ddaily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
tetrasodium ethylene diamine tetraacetate 64-02-8	NOAEL=0.003 mg/l	inhalation: dust	13 weeks6 h/d, 5 d/week	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water.

Ecotoxicity:

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Silicic acid, sodium salt, spray powder 1344-09-8	LC50	> 100 mg/l	Fish	96 h		ISO 7346-1 (Determination of the Acute Lethal Toxicity of Substances to a Freshwater Fish [Brachydanio rerio Hamilton-Buchanan (Teleostei, Cyprinidae)]
Silicic acid, sodium salt, spray powder 1344-09-8	EC50	> 100 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
dipotassium peroxodisulphate 7727-21-1	LC50	163 mg/l	Fish	96 h	Oncorhynchus mykiss	other guideline:
dipotassium peroxodisulphate 7727-21-1	EC50	120 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
dipotassium peroxodisulphate 7727-21-1	EC10	36 mg/l	Bacteria	18 h	Pseudomonas putida	other guideline:
diammonium peroxodisulphate 7727-54-0	LC50	76.3 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
diammonium peroxodisulphate 7727-54-0	EC50	120 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
diammonium peroxodisulphate 7727-54-0	EC50	> 33 mg/l	Algae	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
diammonium peroxodisulphate 7727-54-0	EC10	33 mg/l	Algae	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
diammonium peroxodisulphate 7727-54-0	EC10	36 mg/l	Bacteria	18 h	Pseudomonas putida	other guideline:
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	LC50	> 1,000 mg/l	Fish	96 h	Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	EL50	> 100 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	NOELR	100 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	IC50	> 100 mg/l	Bacteria	93 d	other:	other guideline:
tetrasodium ethylene diamine tetraacetate 64-02-8	LC50	532 mg/l	Fish	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
tetrasodium ethylene diamine tetraacetate 64-02-8	NOEC	>= 25.7 mg/l	Fish	35 d	Danio rerio	OECD Guideline 210 (fish early life stage toxicity test)
tetrasodium ethylene diamine	EC50	625 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline

tetraacetate 64-02-8						202 (Daphnia sp. Acute Immobilisation Test)
tetrasodium ethylene diamine tetraacetate 64-02-8	EC0	105 mg/l	Bacteria	16 h	not specified	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	not readily biodegradable.	aerobic	31.3 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
tetrasodium ethylene diamine tetraacetate 64-02-8	not readily biodegradable.	aerobic	9.9 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
tetrasodium ethylene diamine tetraacetate 64-02-8	inherently biodegradable	aerobic	80 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogPow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
White mineral oil, highly refined, Visc. >7 mm²/s <20.5 mm²/s, 40° (not cmr) 8042-47-5	> 4					EU Method A.8 (Partition Coefficient)
tetrasodium ethylene diamine tetraacetate 64-02-8		1.1 - 1.8	28 day	Lepomis macrochirus	21 °C	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)

Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: Only completely empty containers are to be disposed of as recoverable materials.

Section 14. Transport information

Road and Rail Transport:

UN no.:	3215
Proper shipping name:	PERSULPHATES, INORGANIC, N.O.S.
Class or division:	5.1
Packing group:	III
Hazchem code:	1Z
	Refer to the Australian and New Zealand Emergency Response Guidebook

Marine transport IMDG:

UN no.:	3215
Proper shipping name:	PERSULPHATES, INORGANIC, N.O.S.
Class or division:	5.1
Packing group:	III
EmS:	F-A ,S-Q
Seawater pollutant:	-

Air transport IATA:

UN no.:	3215
Proper shipping name:	Persulphates, inorganic, n.o.s.
Class or division:	5.1
Packing group:	III
Packing instructions (passenger)	559
Packing instructions (cargo)	563

Risk indication:

Must be protected from direct sunshine and stored in a cool and well ventilated place, away from all sources of heat.
Protect from moisture

Section 15. Regulatory information

SUSMP Poisons Schedule 6

Section 16. Other information

Abbreviations/acronyms:

ADGC - Australian Dangerous Goods Code
SUSMP - Standard for the Uniform Medicines of Medicines and Poisons
IMDG: International Maritime Dangerous Goods code
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
AIIC - Australian Inventory of Industrial Chemicals (AIIC)
AICIS - Australian Industrial Chemicals Introduction Scheme

Reason for issue: This Safety Data Sheet contains changes from the previous version in Section(s): involved chapters: 1-16

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.